



EXPERIENCE REPUTABLE PROCESS

## Paraxylene specification

Supplier 1

No	Typical Test	Unit	Specification	Test Method
1	Purity	Wt%	99.7 Min	ASTM D7504
2	Non-Aromatics	Wt%	0.2 Max	ASTM D7504
3	Distillation	°C	2 Max including 1388.3	ASTM D850
4	T-Sulfur	Wt ppm	1.0 Max	ASTM D5453 & ASTM D7039
5	T-Chloride	Wt ppm	1.0 Max	ASTM D7536
6	Sp.gr@15.6/15.6°c	-	0.8650-0.8661	ASTM D4052
7	So2/H2s content	-	Free	ASTMD853
8	Appearance	-	Colorless,Clear	VISUAL
9	Tol+Bz	Wt ppm	300 Max	ASTMD3789
10	Ethyl Benzene	Wt%	0.3 Max	ASTMD3789
11	Color(Pt-co scale)	-	20 Max	ASTMD1209
12	M-xylene	Wt%	Max 0.25	ASTMD3798
13	O-xylene	Wt%	0.1 Max	ASTMD3798
14	Acid Wash Color	-	1.0 Max	ASTMD848